



Black Cat Blades Ltd.

Black Cat Replacement Parts For Cast Wear Protection® Equipment Miscellaneous Castings

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
<u>Serial Number:</u>														
10WS	Weld on Lip Shroud		IRR	1.500	7.375	10.000							19.60	8.89
13WS	Weld on Lip Shroud		IRR	1.750	10.250	13.000							40.70	18.46
WS25	Weld on Lip Shroud		IRR	1.750	4.875	2.500							4.30	1.95
WS45	Weld on Lip Shroud		IRR	2.000	7.174	4.500							15.20	6.89
WS80	Weld on Lip Shroud		IRR	2.750	8.565	8.000							36.10	16.37
4ML50UC	Weld on Lip Shroud		IRR	1.375	8.123	5.594							14.64	6.64
4ML70UC	Weld on Lip Shroud		IRR	2.375	9.487	9.471							45.33	20.56
CG24-5	Corner Guards		IRR	0.625	0.625	24.000							31.70	14.38
CG36-6	Corner Guards		IRR	0.750	0.750	36.000							66.30	30.07





Black Cat Blades Ltd.

Black Cat Replacement Parts For Cast Wear Protection® Equipment Sidebar Protectors

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg		
Serial Number:																
1122489	Sidebar Protector		IRR	1.375	6.813	17.125	2								38.70	17.55
1122490	Standard Groove Pin														0.10	0.05
1320999	Standard Retainer														0.30	0.14
1662877	Sidebar Protector		IRR	1.563	6.750	18.125	2								40.50	18.37
1320998	Standard Groove Pin														0.70	0.32
1320999	Standard Retainer														0.30	0.14
1358246	Sidebar Protector		IRR	1.125	5.750	18.188									24.00	10.89
1359292	Standard Groove Pin														0.05	0.02
1140359	Standard Retainer		RET												0.06	0.03
9J9600	Sidebar Protector		IRR	1.500	6.938	22.688	2								44.50	20.18
1359350	Standard Groove Pin															
1140359	Standard Retainer		RET												0.06	0.03
1U0740	Sidebar Protector		IRR	2.125	6.313	23.813	2								55.60	25.22
1U0739	Standard Groove Pin														1.00	0.45
8E5559	Standard Retainer		PIN												0.17	0.08
1122494	Sidebar Protector		IRR	1.625	8.000	37.000	2								77.30	35.06
1320998	Standard Groove Pin														0.70	0.32
1320999	Standard Retainer														0.30	0.14
1250800	Sidebar Protector		IRR	2.750	8.500	40.000	2								121.60	55.16
8E4708	Standard Groove Pin														1.25	0.57
4T4707	Standard Retainer		RET												0.36	0.16
VS450	Hensley Style Sidebar Protector		IRR	2.625	4.625	30.344									43.70	19.82
VS500	Hensley Style Sidebar Protector		IRR	3.438	4.625	32.875									67.50	30.62
VS550	Hensley Style Sidebar Protector		IRR	4.000	5.000	35.750									86.60	39.28
VS450EXT	Hensley Style Sidebar Protector Extensio		IRR	2.875	3.890	21.035									27.90	12.66
VSM100WN	Mount for 1" Sidebars		IRR												11.80	5.35
VSM150WN	Mount for 1-1/2" Sidebars		IRR												12.90	5.85
VSM175WN	Mount for 1-3/4" Sidebars		IRR												12.10	5.49
VSM200WN	Mount for 2" Sidebars		IRR												11.40	5.17
VSM250WN	Mount for 2-1/2" Sidebars		IRR	3.938	6.250	5.750	1	1.438		2.25					12.79	5.80
VSMWN	Weld on Nose		IRR	1.500	3.000	5.750									4.70	2.13
VSP2-SL	Pin for VS450		PIN												1.10	0.50
VSP3-SL	Pin for VS500 & VS550		PIN												1.10	0.50
VS3-SL	Standard Retainer		RET												1.20	0.54

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Cast Wear Protection® Equipment Heel Shrouds

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
<u>Serial Number:</u>															
2804078	Weld on Heel Shroud - Straight		IRR	0.790	4.300	4.700								10.80	4.90
2804079	Weld on Heel Shroud - Curved		IRR	0.790	4.300	4.700								9.30	4.22
1386529	Weld on Heel Shroud - Straight		IRR	1.000	8.125	6.875								29.60	13.43
1386551	Weld on Heel Shroud - Curved		IRR	1.000	8.125	6.875								26.90	12.20
1571019	Weld on Heel Shroud - Straight		IRR	1.188	10.625	9.813								65.10	29.53
1571027	Weld on Heel Shroud - Curved		IRR	1.188	10.625	9.813								59.30	26.90
ES6697-2	Weld on Heel Shroud - Curved		IRR	2.000	10.000	7.500								46.10	20.91
ES6697-3	Weld on Heel Shroud - Curved		IRR	1.500	8.000	7.500								29.90	13.56
ES6697-4	Weld on Heel Shroud - Curved		IRR	1.250	7.000	7.500								22.50	10.21
ES6697-5	Weld on Heel Shroud - Curved		IRR	2.000	12.000	10.000								87.50	39.69
ES6697-7	Weld on Heel Shroud - Curved		IRR	3.938	13.780	9.840								179.20	81.28

