



Black Cat Blades Ltd.

Black Cat Replacement Parts For O&K/Trojan® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg		
1500 1500C 1500D 1500Z																
<u>Serial Number:</u>																
2061392	Base Edge	1	WOSB	0.875	10.000	95.000	12									
2055839	Base Edge	1	WOSB	0.875	10.000	99.625										
2056673	Base Edge	1	WOSB	0.875	10.000	100.000										
1500 1500C 1500D 1500Z																
<u>Serial Number:</u>																
4601211	Center	1	DB	0.750	8.000	63.780	9	9	0.625 x 2.25	3.50	7.09	7.09	100.00	45.36		
4601210		2	DB	0.750	8.000	13.980	2	2	0.625 x 2.25	3.45	7.09		22.00	9.98		
4601211HD	HD Center	1	DB	1.000	8.000	63.750	9	9	0.625 x 2.25	3.52	7.09	7.09	100.00	45.36		
4601210HD		2	DB	1.000	8.000	13.980	2	2	0.625 x 2.25	3.45	7.09		30.00	13.61		
4606678	Base Edge	1	WOSB	1.000	8.000	91.750	13						187.00	84.82		
4606318	Base Edge	1	WOSB	1.000	8.000	91.750										
4601936	Base Edge	1	WOSB	1.000	8.000	91.750										
2070835	Base Edge	1	WOSB	1.000	9.000	96.000										
1700 1700C 1900 1900C 1900Z 2000 2000C 2000Z 2010Z																
<u>Serial Number:</u>																
2112008		1	WOSB	1.250	8.000	90.000	18									
2106757	Corner RH/LH	2	WOSB	1.000	8.125	7.063										
2112009		3	DB	1.000	10.000	29.875	6	6	0.750 x 3							
2112009HD		3	DB	1.250	10.000	29.875	6	6	0.750 x 3							
4601211	Center	1	DB	0.750	8.000	63.780	9	9	0.625 x 2.25	3.50	7.09	7.09	100.00	45.36		
4601210		2	DB	0.750	8.000	13.980	2	2	0.625 x 2.25	3.45	7.09		22.00	9.98		
4601211HD	HD Center	1	DB	1.000	8.000	63.750	9	9	0.625 x 2.25	3.52	7.09	7.09	100.00	45.36		
4601210HD		2	DB	1.000	8.000	13.980	2	2	0.625 x 2.25	3.45	7.09		30.00	13.61		
2089688	Base Edge	1	WOSB	1.250	10.000	95.500										
2113828	Center	1	DB	0.750	8.000	96.000	15	15	0.625 x 2.25							
2100933	Center	3	DB	0.750	8.000	31.875	5	5	0.625 x 2.25	3.19	6.38	6.38	50.00	22.68		
2100933HD	Center	3	DB	1.000	8.000	31.750	5	5	0.625 x 2.25	3.13	6.38	6.38	30.39			
4602282	Base Edge	1	WOSB	1.000	8.000	96.000										
4606679	Base Edge	1	WOSB	1.000	8.000	96.000	15						203.60	92.35		
2100933	Center	3	DB	0.750	8.000	31.875	5	5	0.625 x 2.25	3.19	6.38	6.38	50.00	22.68		
2100933HD	Center	3	DB	1.000	8.000	31.750	5	5	0.625 x 2.25	3.13	6.38	6.38	30.39			
2070835	Base Edge	1	WOSB	1.000	9.000	96.000										
2116166	Center	3	DB	1.000	12.000	32.000	6	6	0.750 x 2.25							
2119895	Center	3	DB	1.000	14.000	33.125	6	6	0.750 x 2.25							
2094141	Base Edge	1	WOSB	1.250	10.000	99.500										
2110800		1	WOSB	1.250	8.000	100.000	18									
2106757	Corner RH/LH	2	WOSB	1.000	8.125	7.063										
2110801		3	DB	1.000	10.000	33.125	6	6	0.750 x 2.25				87.00	39.46		
2110801HD		3	DB	1.250	10.000	33.125	6	6	0.750 x 2.25	3.75	5.13	5.13	106.00	48.08		
4604227		2		0.750	8.000	31.875		5	x 2.75				50.00	22.68		
4608689		2		0.750	8.000	20.000	3	3	0.625 x 2.75	3.63	6.38	6.38	31.00	14.06		
4608639	Base Edge	1	WOSB	1.250	8.000	104.000										

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For O&K/Trojan® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
4616115	Base Edge	1	WOSB	1.250	10.000	104.000	16							
4602547	Base Edge	1	WOSB	1.250	10.000	104.000	10							
4602548	Center	2	DB	1.000	12.000	42.000	3	3	1.000 x 3	7.13	13.88		123.00	55.79
4600739		1	DB	1.000	12.000	10.578	2	2	1.000 x 3	3.55	3.50		27.00	12.25
4600740		1	DB	1.000	12.000	10.578	2	2	1.000 x 3	3.55	3.50		27.00	12.25
4607276	Base Edge	1	WOSB	1.250	10.000	104.000								
4602548	Center	2	DB	1.000	12.000	42.000	3	3	1.000 x 3	7.13	13.88		123.00	55.79
4607272		2	DB	1.000	12.000	10.000	2	2	1.000 x 3	3.25	3.25		34.00	15.42
2097084	Base Edge	1	WOSB	1.250	10.000	105.500								
2106745		1	WOSB	1.250	8.125	107.000	14							
2106757	Corner RH/LH	2	WOSB	1.000	8.125	7.063								
2106743	Center	1	DB	1.000	10.000	35.500	4	4	0.750 x 3					
2106744		2	DB	1.000	10.000	35.563	5	5	0.750 x 3					
2106743HD		1	DB	1.250	10.000	35.500	4	4	0.750 x 3					
2106744HD		2	DB	1.250	10.000	35.563	5	5	0.750 x 3					
2101685	Base Edge	1	WOSB	1.000	9.000	113.500								
2119571	Center	1	DB	0.500	7.000	97.500	11	11	0.750 x 2					
2096758	Base Edge	1	WOSB	0.750	8.000	94.063	18							
2096788	Center	1	DB	0.750	6.000	70.375	12	12	0.750 x 2.25					
6850013		2						3	x 2.25					
2095421	Base Edge	1	WOSB	0.750	8.000	98.063								
2118565	Center	1	DB	0.750	10.000	97.000	9	9	0.625 x 2.25					
6850383	Center	1	DB	0.625	6.000	74.375	13	13	0.750 x 2.5					
6850013		2						3	x 2.25					
6850433	Center	1	WOSB	0.500	6.500	98.250								
2095420	Center	1	DB	0.625	6.000	75.000	13	13	0.750 x 2.5					
2095419		2	DB	0.750	6.000	12.500	3	3	0.750 x 2.5					
2500C 3000 3000B 3000C 3500Z 4500 4500Z														
<u>Serial Number:</u>														
2071594	Base Edge	1	WOSB	1.000	9.000	101.063								
4605114	Center	2	DB	1.000	12.000	50.620	3	3	1.000 x 3	8.06	17.25	17.25	149.00	67.59
2118833	Center	3	DB	1.000	13.000	37.250	7	7	0.750 x 2.5					
2118833HD		3	DB	1.250	13.000	37.250	7	7	0.750 x 2.5					
4602775		1	WOSB	1.500	10.000	113.500	10							
4613350	Center	1	DB	1.000	12.000	113.563	10	10	1.000 x 3.5					
4616869		1	WOSB	1.500	10.000	113.594								
4602936		2	DB	1.000	12.000	45.860	3	3	1.000 x 3	7.64	15.29	15.29	134.00	60.78
4604895		1	DB	1.000	11.000	10.500	2	2	1.000 x 3	3.50	3.50	3.50	29.00	13.15
4604896		1	DB	1.000	11.000	10.500	2	2	1.000 x 3	3.50	3.50	3.50	29.00	13.15
4604895HD	HD End LH	1	DB	1.250	11.000	10.500	2	2	1.000 x 3					
4604896HD	HD End RH	1	DB	1.250	11.000	10.500	2	2	1.000 x 3					
4602934		1	DB	1.000	12.000	11.875	2	2	1.000 x 3	4.18	3.50		31.00	14.06
4602935		1	DB	1.000	12.000	11.875	2	2	1.000 x 3	4.18	3.50		31.00	14.06
4610865	Bolt-On Wear Plate	1	DB	1.750	8.000	12.594	4	4	0.625 x 2.25					

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For O&K/Trojan® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
2075373		1	WOSB	1.000	8.000	115.000	14								
2105150	Base Edge	1	WOSB	1.500	10.000	115.000									
2101417		1	WOSB	1.250	8.000	118.000	21								
2099614	Center	1	DB	1.000	10.000	39.250	7	7	0.750 x 2.5	3.88	5.25	5.25	103.00	46.72	
2100949		2	DB	1.000	10.000	39.250	7	7	0.750 x 2.5						
2099614HD		1	DB	1.250	10.000	39.250	7	7	0.750 x 2.5						
2100949HD		2	DB	1.250	10.000	39.250	7	7	0.750 x 2.5						
2112646		3	DB	2.000	10.000	39.250	7	7	0.750 x 2.5						
2101419		1	WOSB	1.250	8.000	118.000	21								
2106562	Corner no holes RH	1	WOSB	1.250	10.031	9.625									
2106563	Corner no holes LH	1	WOSB	1.250	10.031	9.625									
2099614	Center	3	DB	1.000	10.000	39.250	7	7	0.750 x 2.5	3.88	5.25	5.25	103.00	46.72	
2099614HD		3	DB	1.250	10.000	39.250	7	7	0.750 x 2.5						
2099613		1	WOSB	1.250	8.000	118.000	21								
2099614	Center	3	DB	1.000	10.000	39.250	7	7	0.750 x 2.5	3.88	5.25	5.25	103.00	46.72	
2099614HD		3	DB	1.250	10.000	39.250	7	7	0.750 x 2.5						
4611077		2	DB	1.000	10.000	43.070	3	3	1.000 x 3	1.88	16.50	16.50	103.00	46.72	
4611078		2	DB	1.000	10.000	15.625	2	2	1.000 x 3	6.25	6.25	3.13	37.00	16.78	
4611077HD		2	DB	1.625	10.000	43.063	3	3	1.000 x 3.25	1.88	16.50	16.50	199.00	90.26	
4611078HD		2	DB	1.625	10.000	15.625	2	2	1.000 x 3.25	6.25	6.25	3.13	73.00	33.11	
2117890	Base Edge	1	WOSB	1.500	10.000	122.000									
4602465	Base Edge	1	WOSB	1.500	10.000	122.000									
4601602		2	DB	1.000	12.000	51.620	3	3	1.000 x 3	8.56	17.25	17.25	145.00	65.77	
4604893		1	DB	1.000	11.000	9.250	2						25.00	11.34	
4604894		1	DB	1.000	11.000	9.250	2						25.00	11.34	
4604893HD		1	DB	1.250	11.000	9.250	2	2	1.000 x 3						
4604894HD		1	DB	1.250	11.000	9.250	2	2	1.000 x 3						
4600739		1	DB	1.000	12.000	10.578	2	2	1.000 x 3	3.55	3.50		27.00	12.25	
4600740		1	DB	1.000	12.000	10.578	2	2	1.000 x 3	3.55	3.50		27.00	12.25	
4604893		1	DB	1.000	11.000	9.250	2						25.00	11.34	
4604894		1	DB	1.000	11.000	9.250	2						25.00	11.34	
4604893HD		1	DB	1.250	11.000	9.250	2	2	1.000 x 3						
4604894HD		1	DB	1.250	11.000	9.250	2	2	1.000 x 3						
2113128		1	WOSB	1.500	10.000	129.000	24								
2113129		3	DB	1.000	12.000	42.875	8	8	0.750 x 3.5						
2113129HD		3	DB	1.250	12.000	42.875	8	8	0.750 x 3.5						
4607441	Center	2	DB	1.000	12.000	49.625	3	3	1.000 x 3						
4604893HD		1	DB	1.250	11.000	9.250	2	2	1.000 x 3						
4604894HD		1	DB	1.250	11.000	9.250	2	2	1.000 x 3						
4604893		1	DB	1.000	11.000	9.250	2						25.00	11.34	
4604894		1	DB	1.000	11.000	9.250	2						25.00	11.34	
4600739		1	DB	1.000	12.000	10.578	2	2	1.000 x 3	3.55	3.50		27.00	12.25	
4600740		1	DB	1.000	12.000	10.578	2	2	1.000 x 3	3.55	3.50		27.00	12.25	
2096829	Base Edge	1	WOSB	1.250	8.000	115.563	20								
2096867	Center	1	DB	0.875	8.000	89.000	15	15	0.750 x 2.5						

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For
O&K/Trojan® Equipment
Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
2096863		2	DB	0.875	x 8.000	x 14.125	3	3	0.750 x 2.5						
404 4000 4000B 4000C 4000D 4000E 5500 5500C 5500Z															
<u>Serial Number:</u>															
2120173	Base Edge	1	WOSB	1.500	x 10.000	x 122.000									
4609210		2						8	x 2.5						
4609209		2						4	x 2.5						
2060516		1	WOSB	1.000	x 10.000	x 126.000									
4608896	Center	1	DB	1.500	x 13.000	x 79.763	9	9	1.000 x 3.25	3.35	9.13	9.13	416.70	189.01	
4608895		2	DB	1.500	x 13.000	x 26.380	3	3	1.000 x 3.25	5.71	7.48	7.48	137.80	62.51	
2110887		1	WOSB	2.250	x 12.000	x 139.188									
2106529	Corner no holes RH	1	WOSB	2.250	x 15.750	x 14.375									
2106831		1	WOSB	2.250	x 15.750	x 14.375									
2110886	Center	1	DB	1.250	x 12.000	x 64.000	11	11	1.000 x 3.5						
2110885		2	DB	1.250	x 12.000	x 37.750	5	5	1.000 x 3.5						
4607106	Center	1	DB	1.375	x 13.000	x 63.875	11	11	1.000 x 3.5	1.94	6.00	6.00	311.00	141.07	
4607105		2	DB	1.375	x 13.000	x 37.750	5	5	1.000 x 3.5	6.75	6.00	6.00	75.00	34.02	
4611022	Segment	7	DB	1.500	x 12.000	x 11.813	2	2	1.000 x 3.25						
4607203		2	WOSB	0.625	x 8.000	x 14.188									
4608899	Bolt-On Wear Plate	2	DB	1.750	x 10.000	x 14.969	6	6	0.625 x 2.25						
4605888	Bolt-On Wear Plate	2	DB	1.000	x 10.000	x 15.000	6	6	0.625 x 2.25						
7500 7500C															
<u>Serial Number:</u>															
2108401		1													
2105086		2	WOSB	2.500	x 16.359	x 15.750									
2116846		3		1.500	x 16.000	x 47.760	5	5	1.000 x 3.25	6.54	8.67	8.67	279.00	126.55	

BLACK CAT BLADES